

NOTE:
EXISTING PITS 7, 25, 26, 27, 67, 113 & 232 CONSTRUCTED WITH TEMPORARY JUNCTION PIT COVERS DURING PREVIOUS WORKS. THESE PITS MUST BE CONVERTED TO SIDE ENTRY PIT COVERS AS PART OF STAGE 64 WORKS. CONTRACTOR TO ENSURE CORRECT ORIENTATION AND LOCATION IN ACCORDANCE WITH COGG STANDARDS TO NEW KERB & CHANNEL.

NOTE:
SEWER MAINTENANCE HOLE COVER LEVELS TO BE ADJUSTED TO SUIT CROSSFALL OF FOOTPATH.

EXISTING SURFACE LEVELS SHOWN ARE REPRESENTATIVE OF SURFACE PRIOR TO PRE-FILLING EARTHWORKS

TBM'S ARE TO BE ESTABLISHED FOLLOWING COMPLETION OF BULK EARTHWORKS PLACEMENT. REFER BULK EARTHWORKS PLAN 0595E-59-40

ROAD NAME	ROAD CLASSIFICATION	RESERVE WIDTH (m)	ROAD WIDTH (m)			KERB TYPE		VERGE WIDTH (m)	
			LIP to LIP	INV to INV	BACK to BACK	NTH/WEST	STH/EAST	NTH/WEST	STH/EAST
SANDVYE STREET	ACCESS STREET - 2	16.00	6.40	7.00	7.30	B2	B2	4.35	4.35
MALLACOTA CR.	ACCESS STREET - 2	16.00	6.40	7.00	7.30	B2	B2	4.35	4.35
BONDI STREET	ACCESS STREET - 2	16.00	6.40	7.00	7.30	B2	B2	4.35	4.35
WARRALLY BLVD.	BOULEVARD	24.40	16.40	15.00	15.30	B2	B2	3.55	5.55

ROAD NAME	GAS		WATER		ELECTRICITY		COMMUNICATIONS		RECYCLED WATER	
	SIDE	OFFSET (m)	SIDE	OFFSET (m)	SIDE	OFFSET (m)	SIDE	OFFSET (m)	SIDE	OFFSET (m)
SANDVYE STREET	WEST	2.10	WEST	3.10	EAST	2.50	EAST	1.90	WEST	2.60
MALLACOTA CR.	SOUTH	2.00	SOUTH	2.80	NORTH	2.50	NORTH	1.90	SOUTH	2.40
BONDI STREET	WEST	2.10	WEST	3.10	EAST	2.50	EAST	1.90	WEST	2.60
WARRALLY BLVD.	SOUTH	2.80	SOUTH	2.30	SOUTH	4.30	SOUTH	3.80	SOUTH	1.80

MANHOLE	EX. LEVEL	NEW LEVEL
EXMH5	18.100	18.156
EXMH6	18.210	18.241
EXMH7	18.290	18.384

- NOTES**
- EXISTING SEWER MANHOLE COVER LEVELS TO BE ADJUSTED TO SUIT NEW LEVELS & GRADES.
 - ALL ADJUSTED MANHOLES TO BE RETESTED IN ACCORDANCE WITH BARWON WATER REQUIREMENTS.

LOT FILLING
Where shown on drawings, topsoil will be stripped from lots as part of the construction activity and replaced with fill to meet the finished surface levels. Where obstructions such as trees and rocks are removed fill will be placed back to meet the finished surface levels. Where the fill is greater than 200mm in depth structural fill complying to Section 4 AS3798-2007 will be used.

WARNING
BEWARE OF UNDERGROUND SERVICES
The locations of underground services are approximate only and their exact position should be proven on site. No guarantee is given that all existing services are shown. Locate all underground services before commencement of works
DIAL 1100 BEFORE YOU DIG
www.1100.com.au

ISSUED FOR	DATE	DESIGN	APPD
A ISSUED FOR COMMENT	15.8.14	BB/BB	CB

Warrally
ARMSTRONG CREEK

Principal
Armstrong Creek Development Corporation
C/o Smec Urban
Level 1, 47 Pakington Street, Geelong West


Designed
B.Barber

Drawn
B.Barber

Checked
C.Birkett

Authorised
J.Golden

Date
August 2014



© SMEC Australia Pty Ltd
ABN 47 065 475 149

These designs and drawings are the copyright of SMEC Australia Pty Ltd.

The drawing shall not be reproduced or copied, in whole or part, without the written permission of SMEC Australia Pty Ltd.

The contents of this drawing are electronically generated, are confidential and may only be used for the purpose for which they are intended.

SMEC
Local People. Global Experience.

URBAN DEVELOPMENT
Level 1, 47 Pakington Street, Geelong West VIC 3218
p +61 3 5228 3100 | f +61 3 5228 3199 | www.smec.com

Warrally
Stage 64
City Of Greater Geelong
Roadworks and Drainage
Layout Plan

Drawing No. 0595E-64-03 Rev A
Sheet No. 3 of 19

Approved for Construction